



Core Acceptance Criteria

Trailer Modulators TEBS-D for WABCO applications



AFTERMARKET

General information

Accepted

- Core must be in an off-vehicle condition.
- Core must meet acceptance standards established within this document.
- Core mechanical integrity must remain intact (no holes, cracks, disassembled components)
- Any electronic inside core must not have contact with environmental pollutants, especially water.

Rejected


- The core is a not complete unit and disassembled or altered in any manner
- The core is damaged by non-operational causes such as car crash damage, fire, flood, crack.
- The core has been improperly repaired / serviced.

Acceptance criteria

Accepted ✓



Surface corrosion



Painted device



Missing silencers



Missing studs



Damaged external cover elements




Damaged external cover elements

Acceptance criteria


Accepted ✓



Damaged wings



Damaged connectors, missing covers and hangers




Damaged connectors, missing covers



Damaged ports, scratches on the sealing surface

Acceptance criteria

Rejected 



Holes in ECU cover



Holes in ECU cover



Partially dismantled

ZF Group

ZF CV Systems Poland Sp. z o.o.
ul. Logistyczna 2,
55-020 Zorawina (Krajków), Poland

aftermarket.zf.com



[instagram.com/zfaftermarket](https://www.instagram.com/zfaftermarket)
[facebook.com/zfaftermarket.global](https://www.facebook.com/zfaftermarket.global)
[youtube.com/@ZFAftermarket](https://www.youtube.com/@ZFAftermarket)
[linkedin.com/showcase/zfaftermarket](https://www.linkedin.com/showcase/zfaftermarket)